

$^1\text{H}$ -NMR (400 MHz,  $\text{C}_6\text{D}_6$ , 27 °C):  $\delta$  = 3.48 (sept,  $^3J_{\text{HH}}$  = 6.7 Hz, 4H,  $\text{NCH}(\text{CH}_3)_2$ ), 1.38 (d,  $^3J_{\text{HH}}$  = 6.8 Hz, 24H,  $\text{NCH}(\text{CH}_3)_2$ ), 0.20 (s, 9 H,  $^2J_{\text{H}^{119}\text{Sn}}$  = 60.0 Hz,  $^2J_{\text{H}^{117}\text{Sn}}$  = 57.5 Hz,  $\text{Sn}(\text{CH}_3)_3$ ).  
 $^{13}\text{C}$   $\{^1\text{H}\}$ -NMR (100.62 MHz,  $\text{C}_6\text{D}_6$ , 26.8 °C):  $\delta$  = 46.8 (s,  $\text{NCH}(\text{CH}_3)_2$ ), 24.0 (s,  $\text{NCH}(\text{CH}_3)_2$ ), -8.9 (s,  $^1J_{\text{C}^{119}\text{Sn}}$  = 402.0 Hz,  $^1J_{\text{C}^{117}\text{Sn}}$  = 383.6 Hz,  $\text{Sn}(\text{CH}_3)_3$ ).